

If the model is only used for QC testing,
please stick the label
"MODEL ONLY USED FOR QC TESTING"
in this box.

LABORATORY INFORMATION

Name of the lab:	Fax number:
Address:	E-mail:
Zipcode + City:	VAT-number:
Country:	Contact:
Telephone number:	

ORDER REFERENCES

Customer reference: Patient reference:

PLEASE INCLUDE THE FOLLOWING ELEMENTS IN SHIPMENT TO SCAN & DESIGN CENTERS*

*Missing information or components can delay your case!

REQUIRED

- Fully completed order form
- Plaster model with analogues**
- Gingival mask (soft tissue)
- Diagnostic tooth set-up (denture wax-up)

OPTIONAL

- Plastic/resin/wax model (copy milling):
- Original analogue(s):
- Original screw(s) (with ref. number):
- Abutment(s):
- Attachment(s):
- Matrix/rider (with ref. number):
- Others:

Pieces delivered to E.S. Healthcare

** Only use new or undamaged analogues. Use of damaged analogues can delay your case! If the analogues are seriously damaged, your case will be refused!

EXTRA ISUS SERVICE

CASE INFORMATION

MATERIAL

- Titanium
- Chrome-Cobalt

LEVEL

- Implant level
- Abutment level
- Combination of implant & abutment level

SCANNING

- @ your lab
- @ E.S. Healthcare
- @ others:

DESIGNING

- @ your lab
- @ E.S. Healthcare
- @ others:

IMPLANT SYSTEM (platform specifications required!)*

* Please mention brand, type & diameter

- Friadent type:
- Straumann type:
- Nobel Biocare type:
- 3I type:

Number of implants:

- Astra type:
- Camlog type:
- Zimmer type:
- Others type:

ORDER FOR

- | | |
|--|---|
| <ul style="list-style-type: none"> <input type="checkbox"/> Bar with attachments* <input type="checkbox"/> Bridge with elements* <input type="checkbox"/> Hybrid-structure with elements* | <ul style="list-style-type: none"> <input type="checkbox"/> Copy mill bar with attachments** <input type="checkbox"/> Copy mill bridge with elements** <input type="checkbox"/> Copy mill hybrid-structure with elements** |
|--|---|

* Please fill in the requested details for a bar/bridge/hybrid on the 2nd page!

** Please fill in the detailed information below

COPY MILL OF PREDESIGNED STRUCTURES

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> <input type="checkbox"/> High-gloss <input type="checkbox"/> Basal <input type="checkbox"/> Lingual/Palatal | <p>Do you want to receive a viewer (3D)?</p> <ul style="list-style-type: none"> <input type="checkbox"/> Yes <input type="checkbox"/> No | |
|---|--|--|

